






• LAP TIMERS • LOGGERS • CAMERAS • DASHES • SENSORS • AND MORE

SHOP NOW

AiM MXP 1.3

TFT Dash Logger



VISIT SUPPORT CENTER

SOFTWARE DOWNLOADS

FIRMWARE UPDATES

PRODUCT DOCUMENTATION



AiM MXP 1.3

TFT Dash Logger


Technical specifications

Display	6" TFT
Resolution	800x480 pixels
Contrast	600:1
Brightness	700cd/m2 - 1,100 Lumen
Ambient light sensor	Yes
Alarm display icons	Yes, freely configurable
Shift Lights	10 configurable RGB LEDs
Alarm LEDs	5 configurable RGB LEDs
CAN connections	3
ECU connection	CAN, RS232 or K-Line to 2,000+ industry leading ECUs
ECU compatibility	1,000+ industry leading ECUs
Expansion CAN connection	GPS09c, Channel Expansion, TC Hub (necessary to connect thermocouple sensors), Lambda Controller, SmartyCam 3 Series
Inertial platform	Internal 3 axis $\pm 5G$ accelerometer + 3 axis gyro max 100 Hz
Analog/digital inputs	8 fully configurable, max 500 Hz each
Digital inputs	4 Speed inputs, lap signal, coil RPM input
Digital outputs	2 (1 A max each)
Second CAN	Yes
Wi-Fi connection	Yes
Internal memory	4 GB
Body	Anodized Aluminum
Pushbuttons	Metallic
Connectors	2 Motorsport connectors + 1 Binder connector
Dimensions	189.6 x 106.4 x 24.9 mm
Weight	640 g
Power consumption	400 mA
Waterproof	IP67

Part numbers

XA6MXPA13G1	MXP 1.3 + 1.3 m GPS09c + 37 pins standard harness
XA6MXPA20G1	MXP 1.3 + 2 m GPS09c + 37 pins standard harness
XA6MXPA40G1	MXP 1.3 + 4 m GPS09c + 37 pins standard harness
XA6MXPA20R1	MXP 1.3 + 2 m GPS09c Roof version + 37 pins standard harness
XA6MXPA40R1	MXP 1.3 + 4 m GPS09c Roof version + 37 pins standard harness

Pinout



Pin	Deutsch 37 pin
1	9-15V Power input
2	Battery GND
3	CAN+ Exp
4	GND
5	+Vbattery CAN
6	CAN- Exp
7	+Vb Ext
8	CAN1+ ECU
9	CAN 1- ECU
10	GND
11	K Line ECU
12	USB D+
13	USB D-
14	GND
15	RPM
16	GND
17	+Vbattery
18	Optical Lap
19	Speed1

Pin	Deutsch 37 pin
20	GND
21	+Vbattery
22	Analog Input 1
23	Analog GND
24	+Vbattery
25	+Vreference
26	Analog Input 2
27	Analog GND
28	+Vbattery
29	+Vreference
30	Analog Input 3
31	Analog GND
32	+Vbattery
33	+Vreference
34	Analog Input 4
35	Analog GND
36	+Vbattery
37	+Vreference

Pin	Binder
1	Video input 1
2	GND
3	+Vb output Camera
4	GND
5	Video input 2

Pin	Deutsch 22 pin
1	Analog Input 5
2	Analog GND
3	+Vbattery
4	+Vreference
5	Analog Input 6
6	Analog Input 7
7	Analog GND
8	+Vbattery
9	+Vreference
10	Analog Input 8
11	Speed 2
12	GND
13	+Vbattery
14	Speed 3
15	Speed 4
16	GND
17	CAN2+ ECU
18	CAN2- ECU
19	Digital output 1
20	Digital output 2
21	ECU RS232 Rx
22	ECU RS232 Tx